



Winlet 350TH

Flexible and fast

Winlet 350TH is used for installation of windows in buildings, where the standard Winlet cannot be used due to height or where site conditions make maneuverability difficult.

Winlet 350TH is available with fork pockets which are appropriate for all machines or with Quick Shift for Telehandler. In addition, the Winlet 350TH has a hydraulic system which makes it independent from the Telehandler.

Maximum capacity and safety


Winlet 350TH has no less than 350 kg lifting capacity and a 2-circuit vacuum system which provides great security.

The impressive 500 mm telescopic feature allows mounting of elements in places where other machines give up.




Winlet 350TH

REACH DIAGRAM





PICKUP AND PLACE DIAGRAM



SPECIFICATIONS*

EXTERNAL LENGTH	1.850 MM	LIFTING FORK HEIGHT	70 MM
EXTERNAL WIDTH	840 MM	LIFTING FORK WIDTH	150 MM
MAX LOAD	350 KG	CENTER DISTANCE (CC) - Between lifting forks	640 MM
MAX LOAD AT MAX. EXTENSION	200 KG	SIDE SHIFT	100 MM
MAX SIDE MOUNTED LOAD	200 KG	HYDRAULIC FINE LIFT ON ARM	500 MM
WEIGHT	400 KG	ROTATION	ENDLESS
EXTENSION MIN/MAX- Front bumper to suction cup	290 MM / 790 MM	SUCTION CUPS	6 X Ø270 MM
MAX LIFTING HEIGHT - From forklift to center lifting beam	2.700 MM	BATTERIES	2 X 95 AH



* The dimensions are indicative and may vary +/- 10mm. The photographs and/or drawings in this document are for illustrative purposes only.

Winlet - Superior usability



User friendly operating panels of your choice

Choose between two different types of operating panels for your Winlet:

1. **MAC (Multi Axis Control)**, which allows controlling of more hydraulic functions at a time. The operator can adjust the speed at the levels: 10 % - 50 % - 100 %.

2. **PSAC (Proportional Single Axis Control)**, the traditional Winlet controls, where one function is operated step-less.

If you need to control the Winlet from a distance, we recommend our radio remote control.

All operating panels are waterproof, according to the IP65 regulations.

Safety first!

All Winlets are equipped with a state-of-the-art overload monitoring system, which continuously measures the point loading on the steering wheels. If point loading is getting too low the system will automatically cut off the hydraulic functions and only allow hydraulic cylinders to bring the load closer to the machine.



Winlet accessories



Make the most of your Winlet

Winlet comes with a wide range of accessories. Here is a few of our most popular items:

- **LIFTING FORK & LIFTING HOOK**
 - for lifting of pallets or with straps
- **LIFTING SLING**
 - for lifting the Winlet by crane
- **SHUT-OFF VALVES**
 - on suction cups
- **QUICK CONNECTORS**
 - on suction cups or main supply
- **EXTENSION OF THE BEAMS**
 - customized cross - and main beams
- **RADIO REMOTE CONTROL**
- **QUICK SHIFT FOR TELEHANDLER**

Please consult our experts to find the right accessories for your project.



Lifts all airtight material

All Winlet glazing robots can easily be adapted to lift a wide range of materials by changing the suction cups. This makes Winlet ideal when handling:

- | | |
|---------------|---------------|
| GRANITE | WOODEN PLATES |
| CONCRETE | TILES |
| PLASTERBOARDS | FIRE DOORS |
| STEEL PLATES | |

